TALLEY EYE CARE
www.talleyeyecare.com

PRK Post-Operative Instructions

MEDICATION	Day 1 (Day of Surgery)	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
ZYMAXID	1 Drop 4 Times a Day	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime		
REFRESH TEARS	1 Drop 4 Times a Day	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	☐ Breakfast ☐ Lunch ☐ Dinner ☐ Bedtime	If needed	If needed

PERCOCET I - II — 1 Pill Every 4-6 Hours, Max. 8 Pills Per Day

☐ _____ ☐ _____ ☐ _____

Take every 4 hours. For the first 3 days, these pills should be used to help prevent and relieve pain. Some discomfort is expected. Can caues nausea or diziness.

TORADOL (ketorolac) — 1 Pill Every 6 Hours, Max. 4 Pills Per Day

☐ _____ ☐ _____ ☐ _____ ☐ _____

Take every 6 hours. For the first 4 days, these pills should be used to help prevent and relieve pain. Some discomfort is expected.

DILUTE ALCAINE — 1 Drop Every 4 Hours, Max. 16 Times Per Day

☐ _____ ☐ _____

Apply 1 drop every 4 hours. If you still experience moderate pain, you can apply up to 1 drop per hour.